



STERIGENIX

CERTIFICATE OF ANALYSIS

REPORT # RPT-2026-582285

Client Alta Peptides, LLC

Analyzed 09/04/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	DSIP	Form	Lyophilized
Batch	HA-260812-02	Labeled Qty	10MG
Mol. Formula	C35H48N10O15	CAS Number	62568-57-4
Cap Color	Green	Crimp Color	Silver
Appearance	White Powder	Mol. Weight	848.82 g/mol

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Avg Purity	(>98%)	99.53	✓
Batch Avg Net Content	10MG ± 10%	10.62	✓
Identity Confirmation (LC-MS)	DSIP	DSIP	✓
Microbial Sterility Screen	Bacterial Growth (Accelerator)	No Growth	✓
Mol Weight	848.82 g/mol	Matches	✓
Endotoxin	(<0.5 EU/ml)	PASS	✓

HEAVY METAL SCREENING

Parameter	Result
Lead (Pb)	Negative
Cadmium (Cd)	Negative
Arsenic (As)	Negative


Mercury (Hg)

Negative



BATCH CONFORMITY RESULTS

Not Tested.

HPLC CHROMATOGRAM



SAMPLE PHOTOS



Dr. R. Caldwell

Dr. P. Andersen

Dr. H. Whitman

ANALYST
ID: AN-3271

QC REVIEWER
ID: QR-5418

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-582285
Access Code: SGX-AP-2026-0815-C29